


BCOMP BIZ

DIGITAL TEKNOLOGI

CATALOG PRODUCTS



»» CONTENTS ««

About Us	01
LCD INDOOR	
Ultra-thin Series	03
Hanging Series	06
Regular Apple Model	08
Brochure Holder kiosk	08
Regular Model	09
Interactive Touch Model	10
Tea Table Series	11
Prevention Series	12
Interactiave Whiteboard	14
Window Display SERIES	15
Order Payment Display Series	16
Intelligent Fitness Magic Mirror	17
Open Frame	18
OUTDOOR 	
Ultra-thin Series	19
Regular Outdoor series	20
OEM&ODM	
OEM&ODM Products	23
Termial Lan Netwrok Cms Software	26
LCD SPLICING SCREEN	
Commercial LCD Indoor Video Wall Disaly	28
APPLICATION SCENARIOS	33

ABOUT

SEJARAH

Bilal Computer atau disebut juga dengan BCOMPBIZ dirintis sejak tahun 2002, dan telah menjadi badan usaha resmi pada tahun 2007, seiring perkembangan bisnis yang dilakukan oleh BCOMPBIZ maka saat ini hampir telah menjangkau seluruh wilayah Indonesia. Divisi bisnis BCOMPBIZ telah berkembang ke Online Shop. Tidak hanya berfokus pada di wilayah Timur Indonesia tetapi juga menjangkau daerah lainnya seperti Kalimantan, Bali, NTT, NTB, mulai dari perseorangan hingga perusahaan, baik swasta maupun pemerintahan (Instansi dan BUMN).

Bekerja sama dengan aplikasi e-commerce antara lain tokopedia, bukalapak dan shopee didukung dengan customer service yang siap melayani setiap saat kami berharap dapat memudahkan customer dalam memenuhi kebutuhannya

Nama Perusahaan	Domisili	NIB
PT. BCOMBIZ DIGITAL TEKNOLOGI	Kota Bogor, Jawa Barat	0220010001039
Nama Panggilan	Alamat	Website
BCOMPBIZ	Ruko Jl. Pangeran Sogiri No.165, Tanah Baru, Kec. Bogor Utara, Kota Bogor, Jawa Barat 16154	https://pusatmesinantrian.co.id
Telepon		Bidang Usaha
62 821-1949-0939		Perdagangan Eceran Mesin Kantor, Perdagangan Eceran Komputer Dan Perlengkapannya Reparasi Komputer Dan Peralatan Sejenisnya dll
NPWP		
02.974.207.9-801.000		

VISI PERUSAHAAN

- 1). Menjadi perusahaan besar dan mampu berpartisipasi dalam melakukan pekerjaan maintenance dan perbaikan segala jenis perangkat IT Perusahaan.
- 2). Perusahaan akan selalu memprioritaskan aktivitas bisnis yang terpadu dan terprogram untuk memberikan hasil optimal dan kepuasan pelanggan dengan menjalin hubungan yang baik.

MISI PERUSAHAAN

- 1). Berperan aktif menjalankan roda bisnis dengan menggunakan program alat elektronik yang sudah canggih
- 2). Sebagai perusahaan yang menghasilkan produk dan jasa layanan terbaik bagi penggunanya. Membuka diri untuk bekerja sama dengan perusahaan lain yang dilandasi semangat kejujuran. saling menghormati dan saling menguntungkan. Didukung oleh tenaga ahli yang telah mempunyai teknik dan pengalaman dalam menangani berbagai proyek skala kecil, menengah maupun besar, kami percaya bisa memberikan pelayanan terbaik, yang akan membantu memberikan saran dan panduan di setiap proses, sehingga kebutuhan klien akan bisa terwujud sesuai yang di harapkan. Harga produk yang kompetitif dan upgradeable dalam setiap implementasi, tanpa meninggalkan aspek estetika adalah prioritas kami









DOKUMENTASI



LCD INDOOR

Ultra-thin Series » vertical 32/43/49/55/65 inch



			
Picture And Video Playback	Various Touch Technology Optional	LG/SAMSUNG FHD Screen	Optional Network Upgrade
			
450 CD/M ²	Plug And Play	24/7 USAGE	Split Screen Display

Specification	
Panel Type	TFT LCD
Panel Size	32/43/49/55/65 inch
Contract Ratio	1400: 1
Pixel Pitch	0.630x0.630mm(HxV)
Material	Metal case SPCC + Tempered Glass
Color	Black/Sliver/Customize
Power Supply	AC100-240V, 50/60Hz
Control System	Android / Windows / Stand-alone (Optional)
Resolution	1920*1080 / 2K / 4K (Optional)
Touch	Support IR touch and Cap Touch
Time Switch	support
System Upgrade	Support network upgrade, USB/TF card upgrade, computer upgrade

LCD INDOOR

Ultra-thin Series » wall mounted

32/43/50/55/65 inch



Ultra-thin Series » ultra wide lcd bar screen

28-42 inch



LCD INDOOR

Ultra-thin Series »»» double-sided vertical screen

43-75 inch



Ultra-thin Series »»» portable signage display

32-65 inch



LCD INDOOR

Hanging Series »» hang model 37-55 inch



Hanging Series »» hang model 43-55 inch



LCD INDOOR

Hanging Series >>> landscape hanging

43-55 inch



Hanging Series >>> vertical

43-55 inch



LCD INDOOR

Regular Apple Model >>>

vertical

43-86 inch



Brochure Holder kiosk >>>

vertical

21.5 inch




LCD INDOOR


Regular Model »» wall mounted 21.5-75 inch



Regular Model »» portable signage display 32-65 inch



Narrow Bezel



Metal

LCD INDOOR

Interactive Touch Model



15-65 inch

K type

HOT



HDMI & USB



RJ45



Power Port



Anti-theft Lock

Interactive Touch Model



other styles

15-65 inch



LCD INDOOR

Tea Table Series »»» tea table shape

43-55 inch



MULTIPLE PROTECTION



Information Query



Smart Shoppers



Interactive Games

Tea Table Series »»» other styles

OEM&ODM



LCD INDOOR


Prevention Series >>> sanitizer kiosk digital signage

21.5 inch



Prevention Series >>> sanitizer kiosk digital signage

21.5-32 inch



LCD INDOOR

Prevention Series >>> face recognition

7-8 inch



Prevention Series >>> face recognition

7-8 inch



LCD INDOOR

Interactive Whiteboard



55-110 inch



Interactive Whiteboard



55-110 inch



HIGH BRIGHTNESS

Window Display SERIES




43-55 inch



Window Display SERIES



43-55 inch



LCD INDOOR

Order Payment Display Series >>>

17-32 inch



24 inch



27 inch



32 inch



QR Code Scanner




Facial Recognition Payment



NFC

Order Payment Display Series >>>

17-32 inch




LCD INDOOR

Intelligent Fitness Magic Mirror




43-55 inch



Intelligent Fitness Magic Mirror



43-55 inch



LCD INDOOR

Open Frame >>>

7-21.5 inch



60°C -20°C



USB Line




Power Adapter



Wall Mount/stand

Open Frame >>>

7-21.5 inch



OUTDOOR

Ultra-thin Series



IP55

32-86 inch



Specification	
Backlight type	LED direct type
Display Size	32 / 43 / 49 / 55 / 65 / 75 / 86 inch
Zoom	16: 09
Brightness	1000—3000cd / m ²
Contrast	3500: 01: 00
Viewing Angle	178°(H)/178°(V)
Ip Grade	support IP55
Control System	Android / Windows / Stand-alone (Optional)
Resolution	1920*1080 / 2K / 4K (Optional)
Touch	Support IR touch and Cap Touch
Time Switch	support
System Upgrade	Support network upgrade, USB/TF card upgrade, computer upgrade

OUTDOOR

Regular Outdoor series



IP55/IP65

32-86 inch

anticorrosive for more than 7 years



Regular Outdoor series



Details decide the quality




Industrial waterproof anti-theft lock



IP65 waterproof



Lightning protection / air open / timer



Imported industrial film



Custom filter for easy maintenance



Industrial Motherboard

OUTDOOR

Regular Outdoor series >>> IP55/IP65 32-86 inch



6mm tempered glass




Dust proof




insect prevention

Regular Outdoor series >>> wall mounted 21.5-86 inch




OEM&ODM

Provide one-stop solution




Customization process



Custom advantages

Guide the mining of users' business needs, and regularly understand the status and progress of the project development team




Develop stable and reliable services and products in a short time, which determines the key to customer success

A rigorous implementation system, implementation methods, and a complete and efficient training service system are the basic

High-quality technical resources and mature management team control the cost of customer software development

OEM&ODM

Customized




Custom peripherals

 4G module	 Video converter	 Card reading	 Temperature control	 Card issuer	 RFID identification
 Iris recognition	 RS485 module	 Power Supply	 Solar charging	 phone charging	 WIFI probe
 QR code scanning	 AI face recognition	 Human body induction	 Humidity detector	 Video recorder	 Contactless IC/D card
 OCR	 Touch screen	 printing	 PM2.5 module	 Automatic shoe polishing	 Fingerprint recognition
 Metal keyboard	 Voice control module		 GPS positioning	 Light sensor module	




OEM&ODM

Customized product




TERMIAL LAN NETWROK CMS SOFTWARE


Step 1: Open the home page interface




Step 2: Create Post Content





Step 3: Register to activate and publish content



BROWSE THE WEBSTE WITH GOOGLE CHROME »»



INTERNET SYNCHRONIZATION MANAGEMENT



CLOUD MANAGEMENT SYSTEM



LCD SPLICING SCREEN

Commercial LCD Indoor Video Wall Display




46/49/55/65inch




HD screen



Backlit type



Narrow bezel



High brightness



Visual angle


Regular Model




Brand	Bezel			
	Bezel	Bezel	Bezel	Bezel
46	1.7mm	1020.2*574.6*74.7		
	3.5mm	1021*576.6*74.7		
	3.5mm	1024*578.6*83.2		1022*576.6*73.9
49	1.8mm		1075.6*605.8*64.2	
	3.5mm		1077.6*607.8*63.7	1078.3*608.4*66.5
55	0.88mm		1210.5*681.2*59.1	
	0.99mm			1213.5*684.3*65.8
	1.7mm	1211*682.4*71.2		
	1.8mm		1211.4*682.2*60.1	
65	3.5mm	1213.5*684.3*71	1213.4*684.2*70.7	1213.7*684.5*71
	3.5mm	1432.6*807.6*76		1213.5*684.3*70.8

LCD SPLICING SCREEN

Interface Type



LCD display front&back



Ultra narrow bezel optional

Diagonal display	46/49/55/65 inch optional
Bezel	0.88/1.8/2.6/3.5 mm bezel optional
Panel Brand	SAMSUNG/LG/BOE optional
Brightness	500/700 nits optional
Input interface optional	(USB * 1) (HDMI * 1) (VGA * 1) (DVI * 1) *(BNC * 1)(DEBUG * 1) (RJ45 * 1) RS232
Output interface Optional	(RJ45 * 2) RS232 (BNC * 1)
Power consumption	≤240W

LCD SPLICING SCREEN

89/89/89/89 Degree Wide Viewing Angle



Rich Color

IPS hard screen, 16 million 700 thousand color display, showing the true image



LCD SPLICING SCREEN

Intelligent Split Screen



Single screen display Splitter
Each unit can display the picture



Whole bottle display Splitter
All cells are synthesized together to show



Single screen display Matrix
Each unit can display the picture independently



Move picture Matrix
The cell can be pulled up to the full screen picture



Picture in picture display Processor
Displayed in the picture which can display pictures



Image roaming Processor
Arbitrary movement of a single signal



Move picture Processor
The cell can be pulled up to the full screen picture



Image overlay Processor
Superimposed on screen another picture

LCD SPLICING SCREEN


Installation Methods Optional



Cabinet




Floor Standing




Wall Mount




Front Maintenance



Video Wall Curve



Cover



APPLICATION SCENARIOS

Install Cases



DIGITAL SIGNAGE 43 INCH IMPORT VERSI ANDROID



SPESIFIKASI



LAYAR

LCD 43" with
1920 x 1080 Pixels



MEMORY

8GB



USBPort



OPERATING SYSTEM

Android 11



STORAGE

SSD 128 GB



HDMI



Wifi



Speaker



Bluetooth



Port LanPort

VIDEOTROON INDOOR P 2.5



SPESIFIKASI

- Module: P2.5 RGB Indoor
- Pixels: 2.5 mm
- Refresh Rate: 1920Hz
- Module Dimension : 320X160 mm
- Pixel model : 128X64 Pixels
- Pixel form : 1R1G1B SMD2020
- Display Function: : Video
- Data Interface : HUB75
- Best distance : 2.5m - 40 m
- Drive mode (optional) : Continuous current 1/32 scan
- Brightness : 800-1000 cd / square meter
- Rangka full aluminium

Alamat Kantor :

Nama Perusahaan

PT. BCOMPBIZ DIGITAL TEKNOLOGI

Nama Panggilan

BCOMPBIZ

Telepon

62 821-1949-0939

Domisili

Kota Bogor, Jawa Barat

Alamat

Ruko Jl. Pangeran Sogiri No.165,
Tanah Baru, Kec. Bogor Utara,
Kota Bogor, Jawa Barat 16154

Nama Perusahaan

PT. KIOSK DIGITAL TEKINDO

Nama Panggilan

TEKINDO

Telepon

62 877-1956-5757

Domisili

Semarang

Alamat

Kawasan Industri Wijayakusuma -
Sentra Industri Logam, Blok B1, Tugu,
Kabupaten Semarang

Nama Perusahaan

CV. BILAL COMPUTER

Nama Panggilan

BILAL COMPUTER

Telepon

62 812-4155-6662

Domisili

Makassar

Alamat

Komplek, Jl. Minasa Upa No.A1/12 B14 Blok
90221 Makassar Sulawesi Selatan